LUNA TONES

new tone of colors





ABOUT US

Onur Grup Joint Stock Company is an industrial organisation committed to creating lasting value in every field in which it operates, drawing on its extensive experience in the construction and manufacturing industries, strong engineering capabilities, and innovative approach. Since its establishment, Onur Grup has embraced quality, sustainability, and reliability as its core principles, continuously advancing its portfolio of products and services by closely following emerging technologies and adopting a modern approach to manufacturing.

Our Group operates across construction, precast building systems, ready mixed concrete, building materials, and industrial manufacturing, while maintaining the same high quality standards and corporate values across all its brands. Thanks to our integrated production capabilities, strong supply chain, and experienced technical team, we deliver high efficiency and lasting solutions at every stage of a project.

Developed as part of this vision, Luna Tones is a modern brand that brings Onur Grup's understanding of aesthetics, technology, and quality to the paint and coatings industry. Luna Tones represents more than just paint; it embodies a comprehensive approach to creating character in living spaces, integrating seamlessly with surfaces, and adding value to architectural design. Its product range, extending from interior paints to specialized surface solutions, has been developed with a focus on high hiding power, a uniform surface finish, and lasting performance.

The Luna Tones paint manufacturing process is supported by carefully selected raw materials, advanced production technologies, and rigorous quality control procedures. Every product is tested according to key criteria such as ease of application, surface smoothness, and colour consistency before being offered to customers. With matt, semi matt, and well balanced surface finishes, Luna Tones provides solutions that complement both contemporary and timeless interior designs.

COLOUR DEFINES

THE CHARACTER OF A SPACE



Luna Tones approaches colour not merely as a coating, but as a fundamental element that defines the character of a space. Every shade is designed with careful consideration of its relationship with light, the depth it creates on the surface, and the emotion it brings to the environment. This approach sets Luna Tones apart from ordinary paint solutions and makes it a natural part of architectural aesthetics.

Thanks to its specially developed formula, Luna Tones paints provide an exceptionally smooth and uniform surface finish. Its structure prevents brush marks, waviness, and surface imperfections, creating a high quality architectural render effect on walls. The matt finish diffuses light softly, allowing colours to appear deeper, more balanced, and more sophisticated.

The colour palette draws inspiration from timeless shades. Balanced, refined colours that avoid excess and preserve their aesthetic value for many years adapt seamlessly to both classic and contemporary interiors. Luna Tones offers a colour philosophy that does not overpower the space; instead, it enhances the architecture, furnishings, and light.

High hiding power, lasting durability, and colour stability are the key features that complete the technical strength of Luna Tones. With its structure suitable for everyday use and resistant to fading and surface wear, it creates a lasting sense of quality in living spaces. Its ease of application provides a reliable solution for professionals and an effortless experience for users.

Luna Tones transforms not only walls, but also the atmosphere of a space. It is designed for those who seek quiet elegance, balanced depth, and timeless aesthetics. Because some colours are not only seen; they are felt.





Luna Tones treats colour as a fundamental element that defines the character of a space. Thanks to its specially developed formula, it creates an exceptionally smooth and uniform finish on walls. By softly diffusing light, this surface structure allows colours to appear deeper, more balanced, and more sophisticated.

Its palette of timeless shades blends seamlessly with both modern and classic interiors. Luna Tones offers a paint philosophy that complements architecture, bringing a sense of quiet elegance and lasting quality to every space.



DISCOVER OUR WIDE

PRODUCT RANGE



SILICONE ELITE SEMI MATT INTERIOR PAINT



SILICONE ELITE SOFT MATT INTERIOR PAINT



PRO MATT INTERIOR PAINT



PRO CEILING PAINT



SILICONE ELITE MATT EXTERIOR PAINT



SILICONE PRO MATT EXTERIOR PAINT



LUNATEKS TEXTURED EXTERIOR COATING



SILICONE ROOF TILE PAINT



SILICONE EXTERIOR PRIMER



OPAQUE ACRYLIC PRIMER



1/7 CONCENTRATED CLEAR PRIMER



CONCRETE PRIMER

LUNA TONES
new tone of colors



SILICONE
ELITE SEMI MATT INTERIOR

P A I N T







PRODUCT FEATURES

Standard
TS 5808

Gloss
Semi matt

Packaging
15 L / 7.5 L / 2.5 L

Colour
Variable

Pattern
Smooth

Safety
MSDS

Full Drying Time
24 hours

G Communiqué
Compliant

Dilution Ratio
Max. 10% with water

Coverage (single coat)
12 to 18 m²/L

Application Temperature
+5 °C to +30 °C

LUNA TONES
new tone of colors



SILICONE
ELITE SOFT MATT
INTERIOR

P A I N T







PRODUCT FEATURES

Gloss
Matt

Colour
Variable

Safety
MSDS

G Communiqué
Compliant

Coverage (single coat)
12 to 18 m²/L

Standard
TS 5808

Packaging
15 L / 7.5 L / 2.5 L

Pattern
Smooth

Full Drying Time
24 hours

Dilution Ratio
Max. 10% with water

Application Temperature
+5 °C to +30 °C



LUNA TONES
new tone of colors



PRO MATT
INTERIOR

P A I N T





PRODUCT FEATURES

Standard
TS 5808

Gloss
Matt

Packaging
20 / 10 / 3.5 kg

Colour
Variable

Pattern
Smooth

Safety
MSDS

Full Drying Time
24 hours

G Communiqué
Compliant

Dilution Ratio
Max. 10% with water

Coverage (single coat)
8 to 12 m²/kg

Application Temperature
+5 °C to +30 °C

LUNA TONES
new tone of colors

PRO CEILING PAINT







PRODUCT FEATURES

Standard
TS 5808

Gloss
Matt

Packaging
17.5 / 10 / 3.5 kg

Colour
White

Pattern
Smooth

Safety
MSDS

Full Drying Time
24 hours

G Communiqué
Compliant

Dilution Ratio
Max. 10% with water

Coverage (single coat)
7 to 10 m²/kg

Application Temperature
+5 °C to +30 °C

SEAMLESS CEILING
SEAMLESS SPACE



LUNA TONES
new tone of colors







Luna Tones offers innovative paint and coating solutions that give living spaces an aesthetic look while protecting surfaces for many years. Its wide product range, extending from interior and exterior walls to a variety of surface applications, combines high hiding power, strong adhesion, durability and lasting colour quality. Special formulas developed with modern production technologies make application easier and help achieve smooth, uniform and professional results.

Luna Tones does not limit quality to appearance: with reliable products suited to different climate conditions and areas of use, it gives buildings lasting protection. With its colour options, surface solutions and application performance, it meets the expectations of both professionals and users who want to renew their living spaces. Bringing together aesthetics, functionality and durability in every detail, Luna Tones adds not only colour to spaces, but also a strong character and a renewed atmosphere. With its innovative approach and quality focused production, Luna Tones creates results that inspire confidence on every surface and living spaces that keep their value over time.

LUNA TONES

LUNA TONES
new tone of colors

SILICONE

ELITE MATT EXTERIOR

PAINT







PRODUCT FEATURES

- **Standard** TS 7847
- **Gloss** Matt
- **Packaging** 15 L / 2.5 L
- **Colour** Variable
- **Pattern** Smooth
- **Safety** MSDS
- **Full Drying Time** 24 hours
- **G Communiqué** Compliant
- **Dilution Ratio** Max. 10% with water
- **Coverage (single coat)** 8 to 10 m²/L
- **Application Temperature** +5 °C to +30 °C

LUNA TONES
new tone of colors



SILICONE
PRO MATT EXTERIOR
PAINT







PRODUCT FEATURES

Gloss
Matt

Colour
Variable

Safety
MSDS

G Communiqué
Compliant

Coverage (single coat)
8 to 10 m²/L

Standard
TS 7847

Packaging
15 L / 2.5 L

Pattern
Smooth

Full Drying Time
24 hours

Dilution Ratio
Max. 10% with water

Application Temperature
+5 °C to +30 °C

LUNA TONES
new tone of colors

SILICONE
LUNATEKS
TEXTURED EXTERIOR
COATING







PRODUCT FEATURES

Gloss
Matt

Packaging
25 kg

Colour
Variable

Pattern
Textured

Safety
MSDS

Full Drying Time
24 hours

G Communiqué
Compliant

Dilution Ratio
Ready to use

Coverage (single coat)
1 to 1.5 m²/kg

Application Temperature
+5 °C to +30 °C





LUNA TONES
new tone of colors



SILICONE
ROOF TILE
PAINT



PRODUCT FEATURES

Standard
TS 7847

Gloss
Semi matt

Packaging
15 L

Colour
Black, Red, Blue, Green, White, Brown

Pattern
Smooth

Safety
MSDS

Full Drying Time
24 hours

G Communiqué
Compliant

Dilution Ratio
Ready to use

Coverage (single coat)
4 to 6 m²/L

Application Temperature
+5 °C to +30 °C

LUNA TONES
new tone of colors

The Professional Way to Renew Roofs

Luna Tones Roof Tile Paint



LUNA TONES
new tone of colors



SILICONE EXTERIOR PRIMER







PRODUCT FEATURES

Colour
White

Packaging
20 / 3.5 kg

Safety
MSDS

Pattern
Smooth

Coverage (single coat)
10 to 12 m²/kg

Full Drying Time
24 hours

Application Temperature
+5 °C to +30 °C

Dilution Ratio
Max. 10% with water

LUNA TONES
new tone of colors





OPAQUE ACRYLIC PRIMER

INTERIOR AND EXTERIOR PRIMER





PRODUCT FEATURES

Colour
White

Packaging
20 / 3.5 kg

Safety
MSDS

Pattern
Smooth

Coverage (single coat)
10 to 12 m²/kg

Full Drying Time
24 hours

Application Temperature
+5 °C to +30 °C

Dilution Ratio
Max. 10% with water



LUNA TONES
new tone of colors



1/7
CONCENTRATED
CLEAR PRIMER





PRODUCT FEATURES

Colour
Clear

Packaging
15 L / 2.5 L

Safety
MSDS


Pattern
Smooth

Coverage (single coat)
45 to 65 m²/L

Full Drying Time
24 hours

Application Temperature
+5 °C to +30 °C

Dilution Ratio
Max. 1/7 with water



LUNA TONES
new tone of colors



CONCRETE PRIMER





PRODUCT FEATURES

Colour
Red

Packaging
12 kg

Safety
MSDS

Pattern
Smooth

Coverage (single coat)
4 to 5 m²/kg

Full Drying Time
24 hours

Application Temperature
+5 °C to +30 °C

Dilution Ratio
Max. 30% with water

LUNA TONES

new tone of colors



CONTACT US

444 24 23

www.lunatones.com

Kileci Mah.
Lütfi Bostanoğlu Cd.
No:4/A Akşehir / KONYA
TÜRKİYE

@lunatonesturkiye

Scan the QR code
to visit our site

English translation of the Turkish catalogue (Luna Tones, 2026). The Turkish catalogue is the original.